

オーステナイト系


# SUS304

▶ 比重 7.93

SUS304はオーステナイト系の代表的なステンレス鋼です。ステンレスの中で最も多方面に使われている一般的なステンレス鋼で、機械的性質・耐食性に優れております。板・パイプ・アングル・丸棒など様々な形状が造られ、家庭用品から工業用品まで広範囲にわたり使われております。



オーステナイト系  
**SUS304 長方形平角パイプ**



各種サイズ				表面状態				備考
寸法 (a × b × t mm)			長さ (mm)	HL 仕上	400番研磨	800番研磨	未研磨	
19.0	×10.0	× 1.0	4,000	◇	◇			
		× 1.2		◇	◇	◇	◇	
22.0	×12.0	× 1.0	5,000	◇	◇			
		× 1.2		◇	◇			
		× 1.5		◇	◇	◇	◇	
24.0	×14.0	× 1.0		◇	◇			
		× 1.2		◇	◇			
		× 1.5		◇	◇	◇	◇	
		× 2.0		◇				
25.0	×12.0	× 1.2		◇	◇		◇	
		× 1.5		◇	◇		◇	
30.0	×20.0	× 1.2	6,000	◇	◇			
		× 1.5		◇	◇	◇	◇	
		× 1.5		5,000	◇	◇		◇
	×25.0	× 1.2		◇	◇			
× 1.5		◇		◇		◇		
32.0	×16.0	× 1.0		◇	◇			
		× 1.2		◇	◇			
		× 1.5		◇	◇	◇	◇	
		× 1.5		6,000	◇	◇		◇
40.0	×18.0	× 1.0	5,000	◇	◇			
		× 1.2		◇	◇		◇	
		× 1.5		◇	◇	◇	◇	
	×20.0	× 1.2		◇	◇			
		× 1.5		◇	◇	◇	◇	
		× 1.5		6,000	◇	◇		◇
	×25.0	× 1.2	5,000	◇	◇			
		× 1.5		◇	◇	◇	◇	
× 1.5		6,000		◇	◇		◇	
×20.0	× 1.2	5,000	◇	◇				
	× 1.5		◇	◇		◇		
	× 1.5		6,000	◇	◇		◇	
×25.0	× 1.5	6,000	◇	◇				
	× 1.5		6,000	◇	◇		◇	
	× 2.0		5,000	◇	◇		◇	
×30.0	× 1.5	6,000	◇	◇				
	× 1.5		6,000	◇	◇		◇	
	× 2.0		5,000	◇	◇		◇	
51.0	×26.0	× 1.2		◇	◇			
		× 1.5		◇	◇	◇	◇	
		× 1.5		6,000	◇	◇		◇
	× 2.0	5,000	◇	◇		◇		
60.0	×25.0	× 1.5		◇	◇		◇	
		× 2.0		◇	◇		◇	
	×30.0	× 1.5		◇	◇		◇	

◇手配品  
50.0

◇手配品

SUS304 長方形平角パイプ

各種サイズ			表面状態				備考
寸法 (a × b × t mm)		長さ (mm)	HL 仕上	400番研磨	800番研磨	未研磨	
60.0	×30.0	× 1.5	6,000	◇	◇		◇
		× 2.0	5,000	◇	◇		◇
		× 2.0	6,000	◇			◇
	×40.0	× 1.5	5,000	◇	◇		
× 2.0		◇		◇		◇	
61.0	×32.0	× 1.5	6,000	◇	◇	◇	◇
		× 1.5		◇			◇
		× 2.0	5,000	◇	◇		
65.0	×18.0	× 1.2		◇			
		× 1.5		◇	◇	◇	◇
70.0	×25.0	× 1.5		◇			
		× 2.0		◇			
	×30.0	× 1.5		◇	◇		
		× 2.0		◇	◇		
75.0	×45.0	× 1.5		◇			◇
		× 1.5	6,000	◇	◇		◇
		× 2.0	5,000	◇	◇	◇	◇
		× 2.0	6,000	◇	◇		◇
		× 3.0	5,000	◇	◇		◇
80.0	×40.0	× 1.5		◇			◇
		× 1.5	6,000	◇			◇
		× 2.0	5,000	◇	◇	◇	◇
		× 2.0	6,000	◇	◇		◇
		× 3.0	5,000	◇	◇		
90.0	×30.0	× 1.5		◇			◇
		× 1.5	6,000	◇	◇		
		× 2.0	5,000	◇	◇	◇	◇
		× 3.0		◇	◇		
	×50.0	× 1.5		◇			◇
		× 2.0		◇			
100.0	×40.0	× 2.0		◇			◇
		× 3.0		◇			◇
	×50.0	× 2.0		◇	◇	◇	◇
		× 2.0	6,000	◇	◇		◇
		× 3.0	5,000	◇	◇		◇
		× 3.0	6,000	◇	◇		◇
120.0	×60.0	× 2.0	5,000	◇	◇		◇
		× 3.0		◇	◇		◇
125.0	×75.0	× 2.0		◇			◇
		× 3.0		◇			◇
150.0	×50.0	× 2.0		◇	◇	◇	◇
		× 3.0		◇	◇		◇