

オーステナイト系

SUS304


▶ 比重 7.93

SUS304はオーステナイト系の代表的なステンレス鋼です。ステンレスの中で最も多方面に使われている一般的なステンレス鋼で、機械的性質・耐食性に優れております。板・パイプ・アングル・丸棒など様々な形状が造られ、家庭用品から工業用品まで広範囲にわたり使われております。



オーステナイト系

SUS304 シームレスパイプ



各種サイズ		長さ (mm)	取扱品	備考
寸法 (a × t mm)				
2.0	× 0.5	2,000	◇	
2.5	× 0.5		◇	
3.0	× 0.5	4,000	◇	※ 1
	× 1.0		◇	※ 1
4.0	× 0.5	4,000	◇	※ 1
	× 1.0		◇	※ 1
	× 1.5		◇	
5.0	× 0.5	4,000	◇	※ 1
	× 0.8		◇	
	× 1.0		◇	※ 1
	× 1.2		◇	
6.0	× 1.5	4,000	◇	
	× 0.5		◇	※ 1
	× 0.8		◇	※ 1
	× 1.0		◇	
	× 1.2		◇	
6.35	× 1.5	4,000	◇	
	× 0.5		◇	※ 1
	× 0.8		◇	※ 1
	× 1.0		◇	※ 1
	× 1.2		◇	
	× 1.25		◇	
7.0	× 1.5	4,000	◇	
	× 1.65		◇	
	× 2.0		◇	
	× 0.5		◇	※ 1
	× 0.8		◇	
	× 1.0		◇	
8.0	× 1.5	4,000	◇	
	× 2.0		◇	
	× 0.5		◇	※ 1
	× 0.8		◇	※ 1
	× 1.0		◇	
8.0	× 1.2	4,000	◇	
	× 1.5		◇	
	× 1.5		◇	

◇ 手配品

▶ 注 ※ 1 2,000mm 有 2 4,000mmUP 有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考
寸法 (a × t mm)				
8.0	× 2.0	4,000	◇	
	× 2.5		◇	
9.0	× 0.5		◇	※ 1
	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
9.53	× 1.0		◇	
	× 1.25		◇	
	× 1.5		◇	
	× 1.65		◇	
	× 2.0		◇	
10.0	× 0.5		◇	※ 1
	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
10.5	× 1.0		◇	
	× 1.2	◇	※ 2	
	× 1.5	◇	※ 2	
	× 1.7	◇	※ 2	
	× 2.4	◇	※ 2	
11.0	× 0.5	◇		
	× 1.0	◇		
	× 1.5	◇		
	× 2.0	◇		
	× 3.0	◇		
12.0	× 0.5	◇	※ 1	
	× 0.8	◇	※ 1	
◇ 手配品	× 1.0	◇		
	× 1.2	◇		
	× 1.5	◇		
	× 2.0	◇		
	× 2.5	◇		
	× 3.0	◇		
	12.7	× 1.0	◇	
× 1.2		◇		
× 1.5		◇		
× 1.65		◇		
× 2.0		◇		
13.0	× 0.5	◇	※ 1	
	× 1.0	◇		
	× 1.2	◇		
	× 1.5	◇		
	× 2.0	◇		
	× 2.5	◇		
	× 3.0	◇		

◇ 手配品

▶ 注 ※ 1 2,000mm 有 ※ 2 4,000mmUP 有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考
寸法 (a × t mm)				
13.8	× 1.2	4,000	◇	※2
	× 1.65		◇	※2
	× 2.0		◇	※2
	× 2.2		◇	※2
	× 3.0		◇	※2
14.0	× 0.5		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
15.0	× 0.5		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
15.88	× 1.0		◇	
16.0	× 0.5		◇	※1
	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
17.0	× 0.5		◇	
	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
17.3	× 1.2		◇	※2
	× 1.65		◇	※2
	× 2.0		◇	※2
	× 2.3		◇	※2
	× 3.2		◇	※2
18.0	× 0.5		◇	※1
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
19.0	× 0.5		◇	
	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	

◇ 手配品

▶ 注 ※1 2,000mm有 ※2 4,000mmUP有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考
寸法 (a × t mm)				
19.0	× 1.5	4,000	◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
20.0	× 0.5		◇	
	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
	× 4.0		◇	
21.7	× 1.65		◇	※ 2
	× 2.1		◇	※ 2
	× 2.5		◇	※ 2
	× 2.8		◇	※ 2
	× 3.7		◇	※ 2
	× 4.7		◇	※ 2
	× 7.5		◇	※ 2
22.0	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
	× 4.0		◇	
23.0	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
	× 4.0		◇	
24.0	× 1.0		◇	
	× 2.0		◇	
	× 3.0		◇	
	× 4.0		◇	
◇手配品 25.0	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
	× 4.0		◇	
	× 5.0		◇	
25.4	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
26.0	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	

◇手配品

▶注 ※ 1 2,000mm有 ※ 2 4,000mmUP有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考
寸法 (a × t mm)				
26.0	× 3.0	4,000	◇	
	× 4.0		◇	
27.2	× 1.65		◇	※2
	× 2.1		◇	※2
	× 2.5		◇	※2
	× 2.9		◇	※2
	× 3.9		◇	※2
	× 5.5		◇	※2
28.0	× 7.8		◇	※2
	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
	× 3.5		◇	
	× 4.0		◇	
30.0	× 5.0		◇	
	× 6.0		◇	
	× 1.0	◇		
	× 1.5	◇		
	× 2.0	◇		
	× 2.5	◇		
32.0	× 3.0	◇		
	× 5.0	◇		
	× 1.0	◇		
	× 1.2	◇		
	× 1.5	◇		
	× 2.0	◇		
34.0	× 3.0	◇		
	× 3.5	◇		
	× 4.0	◇		
	× 1.65	◇	※2	
	× 2.0	◇		
	× 2.8	◇	※2	
	× 3.0	◇	※2	
	× 3.4	◇	※2	
35.0	× 4.5	◇	※2	
	× 6.4	◇	※2	
	× 9.1	◇	※2	
	× 2.5	◇		
	35.5	× 3.5	◇	※2
	36.0	× 2.0	◇	
× 3.0		◇		
× 4.0		◇		
× 5.0		◇		
× 8.0		◇		
× 9.0		◇		
38.0		4,000UP	◇	
	× 1.2	4,000	◇	
	× 1.5		◇	

◇ 手配品

▶ 注 ※1 2,000mm有 ※2 4,000mmUP有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考	
寸法 (a × t mm)					
38.0	× 2.0	4,000	◇		
	× 3.0		◇		
	× 4.0		◇		
	× 5.0		◇		
	× 6.0		◇	※ 2	
	× 9.0		4,000UP	◇	
38.1	× 5.5	4,000	◇		
40.0	× 1.5		◇		
	× 2.0		◇		
	× 3.0		◇		
	× 4.0		◇		
	× 5.0		◇		
	× 6.0		◇		
	× 8.0		◇		
	× 10.0	4,000UP	◇		
42.7	× 1.65	4,000	◇	※ 2	
	× 2.8		◇	※ 2	
	× 3.0		◇	※ 2	
	× 3.6		◇	※ 2	
	× 4.9		◇	※ 2	
	× 6.4		◇	※ 2	
	× 9.7		◇	※ 2	
45.0	× 3.0	4,000UP	◇		
	× 5.0		◇		
	× 8.0		◇		
	× 10.0		◇		
46.0	× 10.0		◇		
48.6	× 1.65	4,000	◇	※ 2	
	× 2.8		◇	※ 2	
	× 3.0		◇	※ 2	
	× 3.7		◇	※ 2	
	× 5.1		◇	※ 2	
	× 7.1		◇	※ 2	
	× 10.2		◇		
50.0	× 7.0	4,000UP	◇		
	× 10.0		◇		
	× 12.5		◇		
50.8	× 1.5	4,000	◇		
	× 2.0		◇		
	× 3.0		◇	※ 2	
	× 4.0		◇		
	× 4.5		◇		
	× 5.0		◇		
	× 6.5		4,000UP	◇	
	× 8.0			◇	
× 14.5	◇				
51.0	× 13.0		◇		
52.0	× 6.0		◇		
	× 7.5		◇		

◇ 手配品

▶ 注 ※ 1 2,000mm 有 ※ 2 4,000mmUP 有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考	
寸法 (a × t mm)					
52.0	× 9.0	4,000UP	◇		
	× 10.0		◇		
53.0	× 8.5		◇		
	× 13.5		◇		
54.0	× 4.0		◇		
	× 9.0		◇		
55.0	× 5.0		◇		
	× 8.0		◇		
56.0	× 7.5		◇		
	× 8.0		◇		
	× 10.0		◇		
	× 13.8		◇		
57.0	× 6.0		◇		
60.0	× 14.0		◇		
60.5	× 1.65		4,000	◇	※2
	× 2.8			◇	※2
	× 3.5	◇		※2	
	× 3.9	◇		※2	
	× 5.5	◇		※2	
	× 8.7	◇		※2	
	× 10.0	4,000UP	◇		
	× 11.1	4,000	◇	※2	
62.0	× 6.5	4,000UP	◇		
	× 8.0		◇		
63.0	× 16.0		◇		
63.5	× 3.0	4,000	◇		
	× 3.5		◇		
	× 4.0		◇		
	× 4.5		◇		
	× 5.0		◇		
	× 6.5		◇		
	× 10.4	4,000UP	◇		
	× 12.0		◇		
	× 16.0		◇		
65.0	× 3.0	4,000	◇		
	× 5.0		◇		
	× 6.0		◇		
	× 8.0	4,000UP	◇		
	× 10.0		◇		
	× 14.5		◇		
66.0	× 9.0		◇		
	× 11.0		◇		
67.0	× 12.0		◇		
	× 14.5		◇		
68.0	× 13.0		◇		
70.0	× 6.5		◇		
	× 8.0		◇		
	× 10.0		◇		
	× 12.5		◇		

◇手配品

▶注 ※1 2,000mm有 ※2 4,000mmUP有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考	
寸法 (a × t mm)					
70.0	×15.0	4,000UP	◇		
	×17.5		◇		
71.0	×13.0		◇		
	×18.0		◇		
72.0	× 9.0		◇		
	×17.5		◇		
73.0	× 7.0		◇		
	×10.0		◇		
	×15.8		◇		
75.0	×10.0		◇		
	×12.5		◇		
	×15.0		◇		
	×17.5		◇		
76.0	×18.0		◇		
76.3	× 2.1		4,000	◇	※2
	× 3.0			◇	※2
	× 3.5	◇		※2	
	× 5.2	◇		※2	
	× 7.0	◇		※2	
	× 9.5	◇		※2	
	×14.0	◇			
78.0	× 7.5	4,000UP	◇		
	× 9.0		◇		
	×16.5		◇		
79.5	×11.3	◇			
80.0	× 4.0	4,000	◇		
	× 5.0		◇		
	× 6.0		◇		
	×10.0		4,000UP	◇	
	×12.5	◇			
	×15.0	◇			
	◇手配品 82.0	×20.0	◇		
×10.0		◇			
83.0	×15.0	◇			
	× 8.5	◇			
85.0	× 8.0	◇			
	×10.0	◇			
	×12.5	◇			
	×15.0	◇			
	×16.5	◇			
	×20.0	◇			
88.0	×10.5	◇			
89.1	× 2.1	4,000	◇		
	× 3.0		◇	※2	
	× 4.0		◇	※2	
	× 5.5		◇	※2	
	× 7.6		◇	※2	
	×11.1		◇	※2	
	×15.2		◇	※2	

◇手配品

▶注 ※1 2,000mm有 ※2 4,000mmUP有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考
寸法 (a × t mm)				
90.0	×10.0	4,000UP	◇	
	×13.5		◇	
	×15.0		◇	
	×20.0		◇	
	×22.5		◇	
	×25.0		◇	
92.0	×16.8		◇	
95.0	× 4.5		◇	
	× 7.5		◇	
	×10.0		◇	
	×12.5		◇	
	×15.0		◇	
	×20.0		◇	
97.0	×17.0		◇	
	×10.0		◇	
100.0	×14.5		◇	
	×20.0	3,000UP	◇	
101.0	×22.0	4,000UP	◇	
	×16.0		◇	
101.6	×18.0		◇	
	× 2.1	4,000	◇	
× 3.0	◇		※2	
× 4.0	◇		※2	
× 5.7	◇		※2	
× 8.1	◇		※2	
×12.7	◇		※2	
101.6	×22.5	4,000UP	◇	
	× 9.0		◇	
102.0	× 9.0		◇	
103.0	×14.0		◇	
104.0	× 7.0		◇	
105.0	×10.0		◇	
106.0	×10.0		◇	
	×15.0	3,500UP	◇	
	×18.0		◇	
106.0	×20.0	4,000UP	◇	
	×25.0		◇	
107.0	×19.5		◇	
110.0	×10.0		◇	
	×15.0		◇	
	×20.0		◇	
112.0	×19.0		◇	
	×25.0		◇	
114.3	× 2.1	4,000	◇	※2
	× 3.0		◇	※2
	× 4.0		◇	※2
	× 6.0		◇	※2
	× 8.6		◇	※2
	×11.1		◇	※2

◇手配品

▶注 ※1 2,000mm有 ※2 4,000mmUP有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考
寸法 (a × t mm)				
114.3	×13.5	4,000	◇	※2
	×17.1		◇	
	×20.0	4,000UP	◇	
116.0	×27.0		◇	
117.0	×19.5		◇	
118.0	×19.0		◇	
	×24.0		◇	
	×28.0		◇	
120.0	×10.0		◇	
	×15.0		◇	
	×20.0		◇	
	×26.0		◇	
123.0	×13.0		◇	
125.0	×12.5		◇	
	×17.5		◇	
	×20.0		◇	
127.0	× 8.0	◇		
	×10.0	◇		
	×20.0	◇		
	×29.0	◇		
129.0	×21.0	◇		
130.0	×10.0	◇		
	×15.0	◇		
	×27.5	◇		
131.0	× 9.0	◇		
	×26.0	◇		
132.0	×11.0	◇		
	×13.0	◇		
	×21.0	◇		
	×30.5	◇		
135.0	× 7.5	◇		
	×10.0	◇		
	×15.0	◇		
	×20.0	◇		
	×25.0	◇		
138.0	×15.5	◇		
139.8	× 2.8	4,000	◇	
	× 3.4		◇	
	× 5.0		◇	※2
	× 6.6		◇	※2
	× 9.5		◇	※2
	×12.7		◇	※2
	×15.9		◇	※2
	×19.1	5,500	◇	
140.0	×10.0	4,000UP	◇	
	×15.0		◇	
	×20.0		◇	
	×25.0		◇	
	×30.0		◇	

◇手配品

▶注 ※1 2,000mm有 ※2 4,000mmUP有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考
寸法 (a × t mm)				
145.0	×10.0	4,000UP	◇	
	×12.5		◇	
	×15.0		◇	
	×20.0		◇	
	×25.0		◇	
150.0	×10.0		◇	
	×12.5		◇	
	×15.0		◇	
	×22.0		◇	
	×27.5		◇	
155.0	×15.0		◇	
	×20.0		◇	
	×25.0		◇	
157.0	×28.5		◇	
160.0	×15.0		◇	
	×20.0	◇		
	×24.0	◇		
	×30.0	◇		
	×35.0	◇		
162.0	×11.0	◇		
165.2	× 3.4	4,000	◇	※2
	× 5.0		◇	※2
	× 7.1		◇	※2
	×11.0		◇	※2
	×14.3		◇	※2
	×18.2		◇	※2
166.0	×23.0	4,000UP	◇	
170.0	×10.0		◇	
	×15.0		◇	
	×20.0		◇	
	×26.0		◇	
176.0	×18.0		◇	
180.0	×15.0		◇	
	×18.0		◇	
	×20.0		◇	
	×27.5		◇	
181.0	×10.0		◇	
	×16.0		◇	
185.0	×28.0		◇	
190.0	×15.0		◇	
	×20.0		◇	
	×25.0	◇		
	×29.0	◇		
	×30.0	◇		
195.0	×10.0	◇		
	×15.0	◇		
	×20.0	◇		

◇ 手配品

▶ 注 ※1 2,000mm有 ※2 4,000mmUP有

SUS304 シームレスパイプ

各種サイズ		長さ (mm)	取扱品	備考	
寸法 (a × t mm)					
195.0	×25.0	4,000UP	◇		
	×30.0		◇		
200.0	×10.0		◇		
	×15.0		◇		
	×20.0		◇		
	×25.0		◇		
	×30.0	◇			
210.0	×12.0	◇			
212.0	×21.0	3,500UP	◇		
	×31.0	2,500UP	◇		
216.3	× 4.0	4,000	◇		
	× 6.5		◇	※2	
	× 8.2		◇	※2	
	×12.7		◇	※2	
	×18.2		◇	※2	
	×23.0		◇		
224.0	×32.0	2,500UP	◇		
230.0	×15.0	3,500UP	◇		
	×20.0		◇		
232.0	×17.0		◇		
235.0	×20.0	2,500UP	◇		
240.0	×22.5		◇		
250.0	×25.0		2,000UP	◇	
255.0	×29.0			◇	
260.0	×29.0	◇			
262.0	×19.0	◇			
267.4	× 4.0	4,000		◇	
	× 6.5	5,500	◇		
	× 9.3	6,000	◇		
	×15.1		◇		
	×18.2		◇		
	×21.4		◇		
◇手配品	×28.6	◇			
	318.5	×10.3	◇		
	×17.4	◇			
	×25.4	◇			
	×33.3	◇			
355.6	× 5.0	4,000	◇		
	×11.1	6,000	◇		
	×19.0		◇		
406.4	× 5.0	4,000	◇		
	×12.7	6,000	◇		
	×21.4		◇		

▶ 注 ※1 2,000mm有 ※2 4,000mmUP有

◇手配品